



PRODUCT EXPERIENCE
SLIDING DOOR SYSTEM EXPERTS



WELL THOUGHT OUT DOWN TO THE LAST DETAIL FOR A SUPERIOR USER EXPERIENCE



An outstanding user experience combined with real added value for retailers and fabricators have made OPK Europe one of the relevant players in the furniture and building hardware segment in a short space of time - and throughout Europe.

The development of a sliding door marks the beginning of OPK's success story. Step by step, this DNA has given rise to a unique portfolio of the most diverse sliding door solutions, all of which have one thing in common: OPK products are well thought out down to the smallest detail and stand for exceptional quality and maximum comfort.

All products are created in our own development departments. OPK Europe GmbH, based in Germany, develops and distributes country-specific product modifications for the European market.

OPK EUROPE GMBH


Junghansstraße 16
D-72160 Horb am Neckar
Germany

Phone +49 (0)7451 622 64 0

info@opk-europe.com
www.opkeurope.com

OPK MINIROLLER FOR THE SMALL THINGS. WITH A BIG EFFECT.

PERFECT FOR CABINETS OR DISPLAY
CASES: ELEGANT IN DESIGN AND
EASY TO INSTALL - EVEN RETROFITTED.



HIGH QUALITY SYNTHETIC ROLLER
FOR QUIET RUNNING



EASY ASSEMBLY
by gluing or clamping the
guide rail

MODERN DESIGN
circumferential or only horizontal
framed in shapely aluminium
frames EV1





OPK SPEEDBOAT THE FAST RUNNER FOR THE SIDEBOARD AND WALL MOUNTED CUPBOARD.

LOOKS GOOD, IS QUICKLY MOUNTED
THANKS TO THE CLIP SYSTEM. PERFECT
FOR FREQUENT USE, E.G. IN THE KITCHEN
OR OFFICE.

VERSATILE IN USE
large selection of different designs
of running and guide rails



530 - 1,000



SIMPLY MOUNTED
Anodised aluminium glass holder with clip
mounting & safety catch



COMFORTABLE
DAMPING



HIGH QUALITY, PLAIN BEARING DOUBLE
ROLLERS
for quiet running

SIMPLE CLIP TECHNIQUE
Simply mount the drive with clip technology,
comfortable height adjustment and integrated
adjustment lock

OPK SUBMARINE

ALWAYS MAKES A GOOD FIGURE: THE ALLROUNDER AT THE FRONT OR INFRONT OF THE CARCASS.

SO FLEXIBLE, IT FINDS ITS PLACE EVERYWHERE: LARGE SELECTION OF RUNNING RAILS AND RETROFITTING POSSIBLE.

FOR LOWEST INSTALLATION WIDTHS for door thicknesses from 16 to 25 mm

INSIDE OR OUTSIDE can be used in and in front of the furniture, easy subsequent assembly possible



≤ 1,200

≤ 2,400



15/30



COMFORTABLE DAMPING WITH OPTIONAL STOPPER



BALL BEARING MOUNTED ROLLERS WITH ECCENTRIC HEIGHT ADJUSTMENT for recessing or screwing on



FLEXIBLE IN USE Large range of running and guide rails for diverse mounting possibilities



OPK FLAGSHIP

MAXIMUM LOAD
CAPACITY. MAXIMUM
SAFETY.

IS USED WHEREVER HIGH ENDURANCE
IS REQUIRED.

SIMPLY MOUNTED
guide and runner profiles can be easily
fixed by gluing, comfortable height adjustment
of the fronts

COMPLETE SOLUTION
handle strip matching the
running rails, aluminium EV1



ANTI-JUMP FUNCTION PLUS
INTEGRATED DAMPING



SYNTHETIC ROLLERS WITH BALL BEARINGS
for extremely smooth and quiet running



OPTIONAL STOPPER
for maximum safety

OPK SAILING

THE EXPERT FOR SAVING SPACE SOLUTIONS

ENABLES COMPLETE OPENING OF THE CUPBOARD IN VARIOUS CONSTRUCTION VARIANTS.

COMPLETE SET
Delivery as complete set
incl. drilling template

≤ 2,400 250 - 500 12 - 30

EVERYTHING AT A GLANCE
100 percent cabinet opening



ERGONOMIC OPENING EXPERIENCE AND COMFORTABLE DAMPING IN THE HINGES

ALMOST INFINITE DESIGN POSSIBILITIES
OPK Sailing is suitable for all common door leaf sizes






OPK SAILING 2


LITTLE SPACE? PERFECT OVERVIEW WITH OPTIMISED USE OF SPACE.

OPK SAILING 4

MOVES EVEN HEAVY DOORS EASILY AND COMFORTABLY.



SPACE MIRACLE: NO RUNNING AND GUIDE RAIL NECESSARY - IDEAL FOR SMALL PANELS AND NARROW DOORS.



NO TRIPPING HAZARD: NO BOTTOM GUIDE NEEDED FOR LOW DOOR WEIGHTS.

OPK OCEAN

A POWERHOUSE THAT BEATS THEM ALL.

REVERED BY CARPENTERS AND JOINERS DUE TO ITS GREAT VARIABILITY AND ITS HIGH-QUALITY FINISH

BEAUTIFULLY SILENT
The convenient centre door damper also comfortably dampens the centre doors in both directions.

NOT ONLY LOOKS GOOD
but also protects against dust: the anodised aluminium cover

HERE EVERYTHING STAYS AT HIS PLACE
thanks to anti-jump- function and two-way damping with fixation



≤ 2.800 ≤ 1.500 80

BOTH SIDES DAMPING WITH FIXATION



ONE RUNNER FOR DIFFERENT DOOR THICKNESSES
Runners can be flexibly adjusted to the door thickness - cost-efficient, as only one item is needed



SIMPLE CLICK ASSEMBLY
running safely and easily with clip technology mount, for up to 4-door constructions



MATCHING HANDLES
optionally available




OPK AIRCRAFT BRINGS DESIGN IN MOTION.

PERFECT FOR FLAT DESIGN AND
EXCELLENT IN USE: ONE ARTICLE FOR
DIFFERENT LENGTHS.

EASY OPENING. GENTLE
CLOSING.
One door swings in front of
the other and is elegantly
parked there.



≤ 690 600 - 1,200 25



GUIDE ARM FOR CONVEN-
IENT OPENING AND
CLOSING.



EASY ADJUSTMENT
Simple adjustment options at the
front panel



COST-EFFICIENT
one system for top and bottom
running applications



OPK ROTARY TURN. SLIDE. AND HIDE.

PANORAMIC VIEW: OPTIMAL USE OF STORAGE SPACE AS NOTHING IS COVERED AND NO DOORS BLOCKING THE CORRIDOR.

OPTIMAL ROOM USE: Automatic closing of the door and safe holding

DAMPED OPENING. SILENT CLOSING
Damping on both sides for maximum comfort



1,800 - 2,850 420 - 600 15 - 35



SCISSOR BEARING PRE-ASSEMBLED TECHNOLOGY



AUTOMATIC RETRACTION
convenient retraction of the door into the pocket



COMPLETE KIT - ONE PACKAGE
EVERYTHING IN
The kits have ready-to-ship packaging so that they can be sent directly as a package including all profiles.

OPK ROTARY ECOLINE

TURN. SLIDE.
AND HIDE.

IT IS SMOOTH TO PUSH AND PULL.
NO SHAKE. EASY TO INSTALL AND ADJUST.
NO NEED TO TILT.

ELEGANT AND NOBLE:
Overall surface is in the same level when the door closes

EASY TO INSTALL AND ADJUST
The door panel can be hidden inside the cabinet and doesn't occupy the space outside the cabinet



600 - 2,400 420 - 600 15 - 35



SUPPORT
upper and lower support
easy to adjust, no need to tilt



COMPLETE KIT - ONE PACKAGE
EVERYTHING IN
The kits have ready-to-ship packaging so that they can be sent directly as a package including all profiles.



OPK CRUISER OPENS COMPLETELY NEW ROOM CONCEPT

PERFECT AS A ROOM DIVIDER OR FOR WALK-IN STORAGE SPACES: QUICK TO ASSEMBLE, EXTREMELY SMOOTH RUNNING AND MODERN DESIGN.

DESIGN VARIANTS
available in silver EV1
and titanium look

SAFE & COMFORTABLE
with adjustable opening and
closing force

- 
 - 
 - 
 - 
 - 
 - 
 - 
 - 
 - 
 - 
 - 
- ≤ 2,800 ≤ 1,500 50



INNOVATIVE DAMPING SYSTEM
Fixation of the middle doors optional



CARRIAGE WITH BALL BEARINGS
SYNTHETIC ROLLS
provide for an extremely light and
quiet running



ADJUSTABLE ACTIVATOR
for a smooth end stop





PERFECT FOR SMALL DOORS due to innovative two-way damping

ELEGANT DESIGN due to optional handle profile

DAMPING Opk Cruiser is available without, with one-sided or with two-sided damping.

OPK CRUISER 3


TURNS ANY DOOR INTO A SLIDING DOOR IN THE BLINK OF AN EYE.

OPK CRUISER 5

ALMOST INFINITE DESIGN POSSIBILITIES.

EASIER THAN EVER BEFORE: ALL COMPONENTS ARE SUPPLIED AS A READY-MADE KIT. EASY ASSEMBLY WITHOUT DOOR MODIFICATION.

WHATEVER YOU PREFER: WOODEN OR ALUMINIUM FRAMED DOORS WITH GLASS IN SILVER OR TITANIUM




OPK SPACESHIP ONE SYSTEM. ALMOST INFINITE APPLICATIONS.

A SYSTEM FOR THE TOUGH JOBS:
ALLOWS DOORS WEIGHING UP TO
160 KILOS TO CLOSE GENTLY AND
COMFORTABLY.

DESIGNVARIANT
available in silver EV1
and matt black

NO DRILLING
Glass doors up to 120 kg
always clamped



FLEXIBLE USE
Available for wall or ceiling
mounting or as a pocket
system

ALWAYS INCLUDED:
INNOVATIVE TWO-WAY DAMPING FOR UP TO
160 KG AND DOOR WIDTHS FROM 580 MM




BALL BEARING MOUNTED ROLLER
for optimum, quiet operation
with integrated cleaning brush



BALL BEARING FLOOR GUIDE
for comfortable operation without
vibrations




WALL OR CEILING: MAXIMUM FLEXIBILITY IN INSTALLATION, INNOVATIVE TECHNOLOGY IN PERFORMANCE




ALWAYS A GOOD MATCH

Frame or skirting board - the right profile for every wall spacing. And best of all: OPK Spaceship is also available as a practical "everything-inside" kit.



POCKET MOUNTING: DOOR OPEN. DOOR AWAY. SMALL SIZE. MAXIMUM RESULTS AND TOTALLY FUNCTIONAL.



MOUNTING RAIL, WITH PRE-MOUNTED ANCHOR PLATES


Totally functional: Due to the previously installed running track the door can always be mounted and dismantled.



POCKET MOUNTING
Subsequent door installation
in the timber framework

OPK HIDDEN DOOR W BUILT-IN TRACK DESIGN.

HARDWARE FULLY HIDDEN,
BEAUTIFUL AND GENEROUS
TOP LOAD-BEARING INVISIBLE DOOR



INVISIBLE AND ROBUST
top wheel of Invisible door



SOFTCLOSE
in both directions

SLIDING SMOOTH
AND SILENT
The load-bearing of
one single door can
even be 60 kg.

SOFT OPEN
AND CLOSE



OPK E-SPACE

THE INNOVATIVE ONE: CONTACTLESS, BARRIER- FREE AND SAFE.

WALL, CEILING OR POCKET: WITHOUT CONTACT IT OPENS UP COMPLETELY NEW PERSPECTIVES IN TERMS OF ROOM DESIGN AND USE.

HIGH-QUALITY, LATEST-GENERATION MAGNETIC DRIVE
Doors can be moved easily in the event of a power failure and the low-energy operation means there is no risk of being crushed.

SESAM OPENS
Automatically open by activation sensor, sensor switch or by click in the app (see page 32).

12

≤ 3,000

≤ 730

100 kg



HIGH-QUALITY MAGNET DRIVE OF THE LATEST GENERATION

PLUG AND PLAY
Supplied ready to plug in and very easy to put into operation, even without an electrician

SAFE IS SAFE
Guaranteed safety by TÜV and SGS certification



PERFECT FOR
HIGH VALUE
INTERIOR EXPANSION,
BARRIER-FREE
LIVING OR
IN COMMERCIAL
AREA



OPK E-SPACE
CONVENIENT, HYGIENIC
AND SAFE.



100 % HYGIENIC DUE TO CONTACTLESS SENSOR SWITCH

CleanSwitch was specially developed for the use in buildings with strict hygiene requirements such as in health care facilities, sanitary areas or in the gastronomy.

With a conscious gesture CleanSwitch activates access without contact and otherwise holds the door closed.

CleanSwitch is compatible with all standard flush boxes and can be mounted particularly quick and easy. The design can be adapted to various custom-wishes.



ACTIVATION BY SENSOR OR REMOTE CONTROL

Proven radar technology is used here to open automatic doors.

The mini-sensor opens and saves energy. The activation sensor based on radar technology opens sliding doors reliably and prevents unnecessarily long opening times by detecting the direction.



E-SPACE: THE SMART SOLUTION FOR YOUR HOME. CONTROLLABLE VIA APP.

As standard, the doors can be controlled via app (iOS and Android) or touch control and can be integrated in Smart Home applications.

With the app, the door control can be adapted to the individual needs of the users. This is how a barrier-free access is created with maximum comfort.



OPK NAVIGATOR TOO BEAUTIFUL, TO BE HIDDEN.

URNS EVERY DOOR INTO A
DESIGNER PIECE IN RUSTIC
BLACK DESIGN.

SAFE IS SAFE
damped end stopper
and integrated safety
catch




≤ 600

80

COMFORTABLE DAMPING
ON BOTH SIDES

BALL BEARING FLOOR GUIDE
comfortable operation without vibrations

DIFFERENT DESIGN VARIANTS
there is something for every taste



OPK PERFECT SYSTEM

MODULARITY AT ITS FINEST



OPK PERFECT SYSTEM

The OPK Perfect System sets new standards in door systems. With four different door materials - Frame-Glass (FG), Frame-Wood (FW), Frame-Double Glass (FD), and Wood (W) - it offers maximum flexibility for any requirement. Each of these door designs allows for eight different opening styles, making the system perfectly adaptable to a wide range of spatial and usage concepts.

Whether sliding, swinging, or folding - manual or electric - the OPK Perfect System is modular in design and meets the highest standards in technology, comfort, and aesthetics. Its versatility makes it the ideal solution for both private living spaces and sophisticated commercial projects. With four different door bodies, each enabling eight applications, we offer 32 tailored solutions for your project.

With its innovative concept and clean design language, the OPK Perfect System is a true gamechanger. It opens up entirely new design possibilities and impresses with well-thought-out details and state-of-the-art technology. The system is also patented worldwide, underlining its unique character.

UNIQUE
WORLDWIDE
PATENTED
TECHNOLOGY





HIGHEST QUALITY AND INNOVATION

OPK Europe has quickly established itself as a significant player in the furniture and construction fittings sector through an outstanding user experience and genuine added value for retailers and fabricators. The success story began with the development of a sliding door and evolved into a unique portfolio that offers exceptional quality and maximum comfort.

OPK products stand for the highest quality and innovation. Based in Germany, OPK Europe designs and distributes customized product modifications for the European market. All products are developed in the company's own R&D departments, reflecting the innovation and precision that characterize OPK.

Through continuous innovation efforts, OPK ensures the production of truly unique sliding door systems. Many products are globally patent-protected and set new standards in the market through their originality. The latest sliding door system, the Perfect System, is a prime example. With patented technologies such as the disassemblable carriage, integrated mounting technology, and stabilizing guide rollers, the Perfect System offers groundbreaking movement mechanics.





OPK EUROPE GMBH
Junghansstraße 16
D-72160 Horb am Neckar
Germany
Phone +49 (0)7451 622 64 0
info@opk-europe.com
www.opkeurope.com

opk[®]